

Wheat is a common cereal grain which forms the basis of many staple foods in Australia such as breads, breakfast cereals, pasta and baked goods. Wheat is also commonly used as the base ingredient for many additives in commercial food products such as thickeners and stabilising agents.

Wheat contains a number of different proteins and children who suffer from wheat allergy may have a reaction to one, or a combination, of them. Other grains such as rye, spelt, oats, barley and millet contain similar proteins to wheat and can trigger reactions in people with wheat allergy. These should be avoided by susceptible children unless advised in writing by the child's parents. Corn or maize, rice, buckwheat, potato and soy flours are generally well tolerated by children who are allergic to wheat.

A range of wheat free breads, breakfast cereals, flours, pastas and noodles are readily available at local supermarkets and health food stores.

01

# Wheat allergy and Coeliac disease

Coeliac disease is a lifelong condition where the lining of the small intestine is damaged as a result of exposure to a protein called gluten. This causes a variety of gastrointestinal symptoms such as diarrhoea, bloating, constipation, nausea and vomiting). The only treatment for coeliac disease is strict avoidance of all gluten containing cereals such as wheat, barley, oats and rye.

In contrast, people with a wheat allergy may tolerate other grains that contain gluten such as rye and oats. It is also common for children to grow out of a wheat allergy.

Products labelled 'gluten free' are suitable to include in a wheat free diet.







Early childhood services

02

#### Allergy action plan

Allergy action plans are recommended to advise staff what to do if a known allergen is ingested. The action plan should be developed with the child's family and treating team (doctor, allergist, paediatrician) and be approved and signed by a recognised health professional involved in their care.

On enrolment, centres should request written documentation of confirmed allergies from the child's treating team. Parents should document exactly what their child can and cannot tolerate to avoid confusion and this should be written on the allergy action plan.

Specialised anaphylaxis action plans are essential for children with anaphylactic reactions.



For information about developing an allergy action plan refer to Allergy policy and allergy action plans or the Australasian Society of Clinical Immunology and Allergy (ASCIA) website <a href="http://www.allergy.org.au/">http://www.allergy.org.au/</a>.

03

### Label reading

In Australia all packaged foods must include a food label with an ingredients list. By law, all potential food allergens (peanuts, tree nuts, seafood, fish, milk, eggs, soybeans and wheat) must be clearly identified, no matter how small the amount. If an ingredient includes wheat, this should be listed on the ingredients list. For example, if a product contains maltodextrin it should be listed as 'maltodextrin (wheat)' or 'wheat maltodextrin'.

When purchasing packaged items, carefully check the food label and ingredient list for wheat products. Check these each time the product is purchased, as ingredients and processing techniques may change.

The following list (on next page) outlines foods and ingredients which include wheat and should be avoided by children with a wheat allergy.





Early childhood services

#### Foods and ingredients indicating wheat:

- Wheat, wheat germ, wheat starch, wheat flour, wheat bran
- Many prepared baby foods
- Pancakes, puddings and other desserts
- Wheat based cereals (Weet-Bix™, Weeties™)
- Wheat based pasta / noodles
- Regular bread
- Baby rusks

- Burghul
- Farina flour
- Ice cream cones
- Gluten
- Baking powder
- Minchin
- Malt and malt extract
- Most custards
- Spelt bread, spelt flour
- Semolina
- Bal ahar

- Superamine
- Laubina
- Baker's flour
- Durum flour
- Kamut
- Gravy and sauces
- Cake flour
- Couscous
- Triticale
- Crumbed or battered foods
- Baked goods (cakes, muffins, biscuits)



# Do all wheat products need to be avoided?

Some ingredients made from wheat are so well processed that all the wheat proteins have been removed. These products include glucose, glucose syrup, dextrose, caramel colour and monosodium glutamate. Whilst these items are still labelled as containing wheat, the chance of an allergic reaction to such ingredients is unlikely and these products may not need to be avoided.




## 'May contain traces of wheat'

This statement is used by manufacturers to indicate that products may be contaminated with wheat during processing and packaging. At present 'May contain traces of wheat' is a voluntary statement and there are no clear guidelines to direct food companies how and when it should be used.

The wording of this statement makes it very difficult to determine risk level and a product that does not include the statement may be no safer than a product that does. The risk of significant allergic reaction through contamination during processing is extremely low. Many families choose to ignore 'May contain traces of wheat' statements as the only safe alternative is to exclude all commercial food products from the diet.

As a precaution, ask families to document their stance on 'May contain traces of wheat' statements in writing on allergy action plans so that centres can be clear about families' expectations.



Early childhood services



# Avoiding wheat in food

The following table outlines foods which are likely to contain wheat, and foods which are likely to be wheat free.

Food category	Wheat free	Likely to contain wheat
Meat, poultry, fish, eggs, legumes and nuts and alternatives	Fresh or frozen meat, chicken and fish (uncrumbed) Canned fish in oil, brine or water Beans and legumes (canned or dried) Tofu, eggs Nuts, nut paste, peanut butter Homemade crumbed/battered meats with wheat free crumbing mix/batter	Patties, burgers, sausages, meatloaf (check label) Processed/sandwich meats (check label) Crumbed/battered products Chicken stuffing, skin seasonings Legumes and baked beans in thickened sauce (check label) Roasted nuts dusted with flour
Fruit and vegetables	Fresh, dried, canned fruit and vegetables Fruit and vegetable juices	Some packaged vegetables and fruit in sauce (check label) Potato wedges, hot chips
Cakes and biscuits	Homemade cakes, biscuits, muffins, slices and pancakes using wheat free flour and wheat free baking powder	Commercial cakes, biscuits, slices, pastries Waffles, pancakes, pikelets Crackers (check label)
Milk, yoghurt, cheese and alternatives, and dairy desserts	All cow's milk, rice milks and infant formula Condensed milk, evaporated milk, buttermilk Most yoghurt, ice cream, Fruche, custard# (check thickeners) All cheeses	Soy milk with wheat based maltodextrin (check label) Flavoured milk, yoghurt and cheese spreads (check label)
Drinks	Flavoured topping (check label) Cocoa powder Sustagen	Malted milk powder Coffee creamers, whiteners and Coffee mixes
Fats and oils	Cooking oils, margarine	
Grain (cereal) products	Flours: rice, potato, soy, arrowroot, chickpea, buckwheat, cornflour (from corn/maize) Gluten free bread, rye bread (if tolerated) Corn/rice cereal e.g. Rice porridge, Cornflakes*, Oat porridge* (if tolerated), Rice Bubbles*, baby rice cereals Corn/rice pasta, noodles, polenta, taco shells	Wheat flour, wheaten cornflour Regular bread, rolls, pita, Turkish, Lebanese, Indian breads Crumpets, muffins, pikelets Wheat based breakfast cereals (e.g. Weeties™, Weetbix™) Baby rusks Pasta, spaghetti, noodles, couscous
Soups	Homemade soup with wheat free pasta or rice	Canned soups with thickener (check labels) Soups with noodles and pasta
Salad dressings and sauces	Homemade gravies and sauces thickened with wheat free flours Balsamic and white vinegar Most tomato sauces and pastes	Gravies, thickened sauces Many Worcestershire and soy sauces Coleslaw dressing and mayonnaise
Jams and spreads	Honey, jam, marmalade, peanut butter, golden syrup, Nutella Wheat free yeast spread (e.g. Mighty Mite)	Vegemite, Promite, Marmite
Other	Herbs and spices Pure icing sugar	Stock cubes Icing sugar mixture

<sup>\*</sup> Products are not gluten free and thus not suitable for children with Coeliac disease.

<sup>#</sup> Products may or may not be gluten free. Check label to determine if suitable for children with Coeliac disease.

Early childhood services

### **Cooking without wheat**

Wheat is a major part of the Australian diet. When wheat is excluded, it is important that it is replaced with other cereals and grains which are wheat free such as:

- arrowroot
- buckwheat
- corn or maize flour (check label)
- potato flour
- rice flour
- soy flour
- millet
- sago tapioca
- quinoa
- sorghum

In cooking and baking, the following substitution for wheat can be used:

1 cup wheat flour = ½ cup rice flour + ½ cup potato

Alternatively, many commercial wheat free flour mixes are available. It is worth experimenting with different options to find out which one works best for you.



## **Food preparation**

Chopping boards, toasters, bread slicers, knives and margarine or butter containers can be sources of wheat contamination and can trigger reactions in children who are highly sensitive.

For more advice on avoiding cross-contamination with wheat in your centre, see our factsheet 'Coeliac disease'.



Adapted with permission from: Wheat allergy, Department of Allergy and Immunology, Royal Children's Hospital Melbourne, November 2007.

Additional reference: Wheat allergy, Women's and Children's Health Network, Women's and Children's Hospital SA, September 2010